

(12) United States Patent Lemmons

(10) Patent No.:

US 6,481,011 B1

(45) Date of Patent:

Nov. 12, 2002

(54)	PROGRAM GUIDE SYSTEM WITH USER
	DESIGNATED COLOR CODING

(75) Inventor: Thomas R. Lemmons, Sand Springs,

OK (US)

(73) Assignee: Prevue Networks, Inc., Tulsa, OK

(US)

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

(21) Appl. No.: 09/234,155

(22) Filed: Jan. 19, 1999

Related U.S. Application Data

(60) Provisional application No. 60/089,485, filed on Jun. 16, 1998.

(51)	Int. Cl. ⁷	***************************************	H04N	5/445

(56) References Cited

U.S. PATENT DOCUMENTS

5,589,892 A	12/1996	Knee et al	348/731
5,630,119 A	5/1997	Aristides et al	395/601

6 778 403 R1 * 8/2001 Takahachi at al 249/560	6,166,728 6,177,931	A A A A B1	* * *	8/1998 12/1998 7/1999 10/1999 12/2000 1/2001	Alten et al. Bedard Coleman et al. Otsuki et al. Saib et al. Haman et al. Alexander et al.	348/569 348/461 348/569 345/327 345/327 345/327
0,276,493 B1 6/2001 Taxanasın et al 346/309					Alexander et al	

FOREIGN PATENT DOCUMENTS

wo	86/01962 A1	3/1986	H04N/7/16
wo	94/29840 A1	12/1994	G09G/1/14
WO	97/48230 A1	12/1997	H04N/7/00


* cited by examiner


Primary Examiner-Victor R. Kostak

(57) ABSTRACT


An interactive television program guide system is provided in which a user may inform a program guide of the user's interests. Information on the user's interests may be stored in a preference profile. There may be more than one preference profile, each for a different user. Each preference profile contains a number of preference attributes (program titles, genres, viewing times, channels, actors, etc.). A color is associated with each preference attribute. The user is thus able to view the program listing and quickly identify programs of interest by the associated colors in the display.

74 Claims, 13 Drawing Sheets












FIG. 2




FIG. 3




FIG. 4





FIG.5

92	94
PROGRAM CRITERIA	COLOR
60 MINUTES	BLUE
SEINFELD	[[[]]]]]]] RED
JOHN WAYNE	YELLOW
AUDREY HEPBURN	PURPLE
SOAP ORERA	ORANGE
GOLF	GREEN

FIG. 6



05/06/2003, EAST Version: 1.03.0002




FIG. 8




FIG. 9








FIG. 10









PROFILE NO.1

SEINFELD - BLUE

60 MINUTES - RED

DRAMA - ORANGE

PROFILE NO.2

ER - YELLOW

COMEDY - RED

PROFILE NO.3

COMEDY - YELLOW

JAMES STEWART -**BLUE**

X-FILES - GREEN

FIG. 15




FIG. 17




FIG. 16

PROGRAM GUIDE SYSTEM WITH USER DESIGNATED COLOR CODING

CROSS-REFERENCE TO RELATED APPLICATIONS.

This application claims the benefit of U.S. provisional patent application No. 60/089,485, filed Jun. 16, 1998.

BACKGROUND OF THE INVENTION

This invention relates to interactive television program ¹⁰ guides, and more particularly, to television program guides in which users may create profiles of their programming preferences. Profiles contain information about the user's interests (e.g., favored or disfavored programming genres, actors, channels, series, etc.) The profiles are used by the ¹⁵ program guide in determining how programming information is presented to the user.

Cable, satellite, and broadcast television systems provide users with a large number of television channels. Users have traditionally consulted printed television program schedules to determine the programs being broadcast at a particular time. More recently, interactive electronic television program guides have been developed that allow television program information to be displayed on a user's television.

Interactive program guides are typically implemented on set-top boxes. Such program guides allow users to view television program listings in different display formats. For example, a user may instruct the program guide to display a grid or table of program listings organized in a channel-ordered or a time-ordered list. Users may also search and sort program listings by genre (e.g., movies, sports, etc.) or by title (i.e., alphabetically). A user may obtain additional information for a program by placing a highlight region on a desired program listing and pressing an "info" button. The user may purchase a pay program from the program guide by placing the highlight region on a program listing and pressing an "OK" button. Some systems allow the user to select a program for recording by placing the highlight region on a program listing and pressing a "record" button.

Because there are so many television channels available, particularly with cable and satellite television systems, television program guides have been developed that allow users to designate favorite channels or broad programming categories, or genres.

This approach is not very selective. Even though a user may have chosen a channel to be highlighted in color, some of the programming that appears on that channel may not be of interest to the user. The same would apply to program genres, wherein not all movies, nor all sports events, etc., would be of interest to the user. Moreover, programs that would be of interest to the user often appear on channels or in genres that the user has not chosen as favorites (e.g., because the user does not like most of the programming on that channel or in that genre).

What is needed is a more sophisticated way in which a user may inform a program guide of the user's preferences, so that the program guide can more accurately highlight programming of the type the user likes.

It is therefore an object of the present invention to provide 60 a program guide system with which a user may set up a profile based on various preference attributes indicative of a user's interests.

SUMMARY OF THE INVENTION

These and other objects of the invention are accomplished in accordance with the principles of the present invention by providing a interactive television program guide system in which a user may inform a program guide of the user's television programming interests. The user may specify a number of program characteristics such as program title, genre or category, rating, actor, etc. as preferred attributes. For each preferred attribute, the user may select a particular color. A preference attribute and its respective color are associated as a display criterion. A plurality of display criteria may be set by the user. The programming list may be displayed based on the display criteria, i.e. the preference attributes and selected colors.

The program guide may be created or modified by selecting program characteristics as preferred attributes. Each preference attribute is assigned a color by the user. Alternatively, the program guide may be created or modified by highlighting a program listing or selecting a program to which to which the user has tuned. The program characteristics of the highlighted program listing or the selected program may be selected as preference attributes to which colors are assigned.

A user may define the display format of each program. For example, a user may define the maximum number of colors that may be displayed for a single program. A user may define a preferred sort order for display criteria and may display colors in the defined sort order.

The program guide may maintain the display criteria in a preference profile. Different preference profiles may be used by different users of the same program guide. If desired, more than one preference profile may be active at a given time. A master profile may be used that has settings that override the settings in other profiles.

Further features of the invention, its nature and various advantages will be more apparent from the accompanying drawings and the following detailed description of the preferred embodiments.

BRIEF DESCRIPTION OF THE DRAWINGS

- FIG. 1 is a diagram of a system in which an interactive television program guide is implemented in accordance with the present invention.
- FIG. 2 is a flow chart of steps involved in providing options for selecting various display criteria in accordance with the present invention.
- FIG. 3 is a flow chart showing further steps involved in providing options for selecting display criteria.
- FIG. 4 is an illustrative selection screen for selecting display criteria in accordance with the present invention.
- FIG. 5 is an illustrative selection screen for selecting colors associated with the various selected display criteria.
- FIG. 6 is a diagram of an illustrative preference profile showing how multiple display criteria of the same type may be associated with the same preference profile.
- FIG. 7 is an illustrative by-time program listings display in accordance with the present invention.
- FIG. 8 is a flow chart illustrating how the program guide provides an opportunity to modify a profile based on the criteria of a selected program in accordance with the present invention.
- FIG. 9 is a diagram of an illustrative profiles display in accordance with the present invention.
- FIG. 10 is a diagram of another illustrative profiles 65 display in accordance with the present invention.
 - FIG. 11 is a flow chart of steps involved in selecting a display format in accordance with the present invention.

4

FIG. 12 is a flow chart of steps involved in allowing a selected, preference attribute to expire or be deselected in accordance with the present invention.

FIG. 13 is another illustrative by-time program listings display in accordance with the present invention.

FIG. 14 is yet another illustrative by-time program listings display in accordance with the present invention.

FIG. 15 is a diagram illustrating how multiple profiles may be used and how a given display criteria may be associated with more than one such profile in accordance with the present invention.

FIG. 16 is a flow chart of steps involved in selecting a profile to make active and displaying programming based on one or more active profiles in accordance with the present invention.

FIG. 17 is an illustrative by-time program listings display in accordance with the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

An illustrative program guide system 10 in accordance with the present invention is shown in FIG. 1. Main facility 12 contains a program guide database 14 for storing program guide information such as television program guide listings data, pay-per-view ordering information, television program promotional information, etc. Information from database 14 may be transmitted to television distribution facility 16 via communications link 18. Link 18 may be a satellite link, a telephone network link, a cable or fiber optic link, a microwave link, a combination of such links, or any other suitable communications path. If it is desired to transmit video signals over link 18 in addition to data signals, a relatively high bandwidth link such as a satellite link is generally preferable to a relatively low bandwidth link such as a telephone line.

Television distribution facility 16 is a facility for distributing television signals to users. Television distribution facility 16 may be, for example, a cable system headend, a broadcast distribution facility, a satellite television distribution facility, or any other distribution facility.

The program guide information transmitted by main facility 12 to television distribution facility 16 includes television program listings data for current and future television programs. The television program listings data for each program preferably includes program information, e.g., the title of the program, the channel for the program, a scheduled broadcast time (start time) and an ending time (or duration). Other typical program information include ratings, critics ratings, descriptions, genres (sports, movies, children, etc.), actors, etc. Transmitted program information may also include advertising information and pay program data such as pricing information for individual programs and subscription channels, time windows for ordering programs and channels, telephone numbers for placing orders that cannot be impulse ordered, etc.

Television distribution facility 16 distributes television programming and program information to the user television equipment 20 or the user personal computer (PC) equipment 22 of multiple users via communications paths 24 and 26, respectively.

For example, television programming may be distributed over analog television channels and program guide data may be distributed over an out-of-band channel on paths 24. Data 65 distribution may also involve using one or more digital channels on paths 24 and 26. Such digital channels may also

be used for distributing television programming and other information. Multiple television and audio channels (analog, digital, or both analog and digital) may be provided to set-top boxes 28 via communications paths 24. Program listings and other information may be distributed via communications paths 26 to PC equipment 22. In addition, program listings and other data may also be distributed by one or more distribution facilities that are similar to but separate from television distribution facility 16 using communications paths that are separate from communications paths 24 and 26.

Certain functions such as pay program purchasing may require set-top boxes 28 to transmit data to television distribution facility 16 over communications paths 24. If desired, such data may be transmitted over telephone lines or other separate communications paths. If functions such as these are provided using facilities separate from television distribution facility 16, some of the communications involving set-top boxes 28 may be made directly with the separate facilities

Each user has a receiver, which is typically a set-top box such as set-top box 28, but which may be other suitable television equipment into which circuitry similar to set-topbox circuitry has been integrated. Program guide data is distributed to set-top boxes 28 periodically, continuously, or on demand. Television distribution facility 16 may also poll set-top boxes 28 periodically for certain information (e.g., pay program account information or information regarding programs that have been purchased and viewed using locally-generated authorization techniques). Main facility 12 preferably contains a processor to handle information distribution tasks. Each set-top box 28 preferably contains a processor to handle tasks associated with implementing a program guide application on the set-top box 28. Television distribution facility 16 may contain a processor for tasks associated with monitoring a user's interactions with the interactive program guide implemented on set-top boxes 28 and for handling tasks associated with the distribution of program guide data and other information to user television equipment 40.

Each set-top box 28 is typically connected to an optional videocassette recorder 30 so that selected television programs may be recorded. Each videocassette recorder 30 is connected to a television 32. To record a program, set-top box 28 tunes to a particular channel and sends control signals to videocassette recorder 30 (e.g., using an infrared transmitter) that direct videocassette recorder 30 to start and stop recording at the appropriate times.

During use of the interactive television program guide implemented on set-top box 28, television program listings and other information may be displayed on television 32. Such program guide displays may be presented on top of a television program to which the user has tuned with set-top box 28 or may be presented in place of such a program. Guide displays may be in the form of a grid, a list, or any other suitable format. Each set-top box 28, videocassette recorder 30, and television 32 may be controlled by one or more remote controls 34 or any other suitable user input interface such as a wireless keyboard, mouse, trackball, dedicated set of buttons, etc. Remote controls such as remote control 34 have various buttons that may be pressed by the user such as cursor keys (for on-screen movement of a highlight region, scrolling functions, etc.), an enter key (for making a selection), channel number keys (for selecting a television channel), a favorites key (to invoke functions related to user preferences), etc.

PC equipment, such as PC equipment 22, may also be used with the interactive program guide. Web browsers or

other applications implemented on CPU 36 may be used to access and display the program guide information on the PC monitor 38. User selections and inputs may be made by a keyboard 40, mouse, trackball, or other PC input devices. If desired, program guide data may be provided to user PC equipment 22 over the Internet or any other suitable communications path separate from communications path 26. It is understood that the following discussion, although directed to user television equipment and set top boxes, is applicable to program guides used in connection with PC equipment.

Modern cable and satellite systems provide users with a wide range of programming, of which only a portion may be of interest at a particular time. The subject invention allows users to selectively modify the appearance of their program 15 guides to highlight particular programming that the user has defined an interest in. As described above, program listings data provides various program characteristics, such as program title, program genre or category, actors, etc. The user may select particular program characteristics (of the many 20 available) to serve as preference attributes and assign a color for each preference attribute. The preference attribute and its respective colors are associated as display criteria for use by the program guide. More particularly, the colors may be displayed in the program guide to provide visual emphasis 25 to programming that meets the preferred criteria, and to allow the user to quickly and easily recognize such programming. Programming which does not fall within the preferred criteria is also displayed, although without particular color coding.

The subject invention provides several ways the user can define programming preferences with greater specificity than simply by channel or broad genre. The user may select particular ones of the program characteristics as preference attributes. For example, preference attributes may be the title 35 of a serial program or the name of an actor. Likewise, a preference attribute may be a programming genre or category, or a topic of interest. Thus, a user may inform the program guide that the user likes a particular serial program, such as "60 Minutes," a particular actor, such as John 40 Wayne, a particular programming category, such as soap operas. Conversely, a user may inform the program guide of programs, actors, or genres that the user dislikes. The preference attributes are selected from the program listings data, described above. For each of these preferences, the 45 user may assign a color. After the selections have been made, the program guide may access program listings data and search for programming having the preferred preference attributes. When a program satisfies any of the above criteria, the program guide then displays the listing or cell 50 associated with the television program in an associated color.

The program guide implemented on set-top box 28 provides various options that allow the user to specify which program characteristics will serve as preference attributes 55 and will be specially colored in the television program listings information that is displayed for the user. Such options may be provided in the form of clickable menu items, drop-down lists, or any other suitable format. The user may select a desired menu item using a highlight region, cursor, arrow, or other suitable on-screen indicator that may be positioned over an option on the display (i.e., television 32). For example, a user may position a highlight region over a desired menu item and press "OK" on remote control 34 to complete the selection. Selections that involve 65 entering characters may be made by selecting characters from characters displayed on the screen (e.g., using cursors

to move through the alphabet) or by using a wireless keyboard or other alphanumeric entry device.

The user may define preference attributes and assign colors to these attributes in several ways. These selections are typically organized in a profile (sometimes called a preference profile or a favorites profile), which may be set up according to several possibilities. (see, for example, Ellis et al. U.S. patent application Ser. No. 09/034,934, filed Mar. 4, 1998, which is hereby incorporated by reference herein in its entirety). A first approach for setting up a profile, which may be performed during an initial set up procedure, permits the user to scan through the various program listings data, select preferred criteria, and assign colors to each one, if desired. A second approach permits the program characteristics of a particular favorite (or disfavored) program to be retrieved and particular characteristics of the favorite program to be selected as preference attributes and assigned colors to aid in recognizing later broadcasts of similar program content. A third approach permits the user to access previously designated preference attributes and associated colors, and to modify these selections individually.

Set up procedures according to the first approach to select preference attributes and assign colors to the program guide are shown in FIG. 2. At step 40 of FIG. 2, the program guide may provide the user with the option of selecting a given program and color as a display criterion. As illustrated at step 60 in FIG. 3, the user selects the program as a preference attribute. For example, the user could indicate an interest in the "60 Minutes" program, whenever it is aired. The user may select the program name from a list of available programs, or the user may type the program name, as described in greater detail, below. At step 62, the user is given the opportunity to set one of at least several colors for the selected program. After selecting a color for the display criterion "60 Minutes", whenever the program guide displays a list of available programs, the "60 Minutes" program will be displayed in the selected color. This feature allows a user to easily recognize a program when it appears in the program listing. The user is then given the opportunity to select another program title at step 64.

With continued reference to FIG. 2, step 42 may provide the user with the option of selecting a given airing of a program and a color as a display criterion. For example, if the user wishes to watch the next broadcast of the program "60 Minutes" at 7:00 on Sunday, the user may select that broadcast of "60 Minutes" as a preference attribute. As illustrated in FIG. 3, the selection of the specific airing is made at step 60, and the color selection is made at step 62. The user may then be provided at step 64 with an opportunity to select another given airing of a program.

At step 44, the program guide may provide the user with the option of selecting a particular actor or actress and a color as a display criterion at step 62 (FIG. 3). As described above, step 64 prompts the user to select another actor, if desired, and assign it a color.

At step 46, the program guide may provide the user with the option of selecting as a display criterion a program genre (category) or other suitable grouping (e.g., all programs aired on Sundays, etc. —that are not in a traditional genre, but that are in some way related) and a color. For example, the genre (which may be a sub-genre) may be children's programming, news, weather, movies, action, horror, baseball, football, comedy, etc. Step 60 (FIG. 3) provides the user with the option of selecting a program genre, and step 62 provides the user with the option of assigning a color for that program genre.

At step 48, the program guide may provide the user with the option of selecting a rating (G, PG, TV-Y, etc.), a range of ratings (e.g., the R rating and all ratings for more mature audiences), or a parental control advisory (e.g., this program contains strong language, etc.) and assign a particular color 5 at step 62 (FIG. 3).

At step 50, the program guide may provide the user with the option of selecting a particular type of channel, such as pay-per-view channel, and a color as a display criterion. Assignment of a color to the selected type of channel may 10 occur at step 62 of FIG. 3. Thus the user may be alerted to certain types of programming, e.g., pay-per-view programming, without requiring the user to individually select or even know the names of all of the pay-per-view channels that are available.

At step 52, the program guide may provide the user with the option of selecting a topic (e.g., cooking, photography, music, painting), keyword (e.g., cooks, etc.), or sporting team and a color as a display criterion. When the program listing is displayed, the guide may search the listings data for a topic, keyword that is provided in the information for each program.

The steps involved in providing the preference attributes selection options shown in FIG. 2 are illustrative only and the program guide may provide the user with the option of selecting any other suitable display criteria if desired. Moreover, the order of the steps shown in FIG. 2 is not important. Typically, several such options are provided at the same time (e.g., on the same menu screen). Alternatively, the user may select preference attributes first and subsequently assign all colors after the preference attributes are selected.

Exemplary display screens which allow the user to select display criteria are illustrated in FIGS. 4 and 5. As illustrated in FIG. 4, the user may be asked to select a preference 35 attribute for color assignment in screen 70. The options presented to the user at option 72 may include the program characteristics illustrated in FIG. 2. For example, the user may select "program name," as shown in the FIG. Screen 76, illustrated in FIG. 5, may be used to allow the user to select 40 a particular program name at option 78. For example, the user may select "60 Minutes." Subsequently, option 80 may permit the user to assign a particular color to the selection "60 Minutes." FIG. 5 illustrates a list of available colors for selection. The user may use the color selection keys 82 to 45 highlight a particular color 84, and make a selection. Alternatively, the user may select a color from a color wheel, a list of colors, or by representing the color by word name, i.e., the word "blue." In order to distinguish between various colors, it is contemplated that the colors selected may 50 include colors represented on different backgrounds, e.g., solid or striped, or the colors may be combined with various icons or symbols.

An illustrative preference profile 90 containing a number of display criteria is shown in FIG. 6. Display criteria are 55 displayed such that preference attributes 92 are adjacent associated colors 94. FIG. 7 shows an illustrative program guide display screen 95 that may be generated by the subject invention using the preference profile of FIG. 6. For example, the programs "Seinfeld" (red) and "60 Minutes" 60 (blue) were selected as display criteria, and cells 81 and 83 are appropriately displayed. The actress Audrey Hepburn (purple) had been selected as display criteria. Consequently, cell 85 for "Breakfast at Tiffany's," a program starring Audrey Hepburn, is displayed in the associated color purple. 65 Additional display criteria selected were golf (green) and soap operas (orange) as the program categories. Thus, cell

87 for soap opera "The Edge of Night" is displayed in orange, and cell 89 for golf program "PGA Tournament" is displayed in green. The remaining cells are displayed for the user's information, but are not highlighted. The program guide display screen of FIG. 7 is illustrative only.

In accordance with the second approach, display criteria may be selected by example. This is illustrated in FIG. 8. At step 100, the user may tune set-top box 28 to a channel (e.g., channel 9) to watch a desired television program (e.g., the program "60 Minutes") or may highlight a desired program listing on any suitable program listings screen. The user may then press an appropriate button on the remote control (e.g., a "FAV" or favorites key) or may click on an on-screen option. The program guide then provides an opportunity to modify or create a profile based on the program characteristics of the selected program or the highlighted program listing at step 102.

For example, as shown in FIG. 9, the program guide may present a profiles display, such as profiles display 110, in which all characteristics of the selected program or highlighted program listing ("Seinfeld") are listed in column 112. The characteristics listed in column 112 are available from the program listings data. Where program characteristics have been selected as preference attributes, the associated colors are listed in column 114. The neutral selection "no color" is displayed as a default, as shown in the FIG., wherein no color selection has been made for the characteristics such as actor, category, or rating. After selecting the program, additional program characteristics, such as the category comedy 116, may be selected as a preference attribute and a color assigned at option 118. Previously selected colors in column 114 may be modified for each of the other attributes listed in column 120 by color selection keys 119. If desired, a previously selected criteria may be deselected from the profile.

The third approach in which profiles may be modified is shown in FIG. 10. Profiles display 122 of FIG. 10 allows the user to view all selected display criteria for a given profile. Option 124 allows the user to select or change programs as display criteria. When a particular program is selected for option 124, the associated color 126 is displayed with it. Option 128 allows the user to set colors for various programs. Option 130 allows the user to add program titles to the profile. Option 132 allows the user to set colors for the additional programs. For some program characteristics, no display criteria have been selected. (E.g., no ratings have been selected.) Option 134 allows the user to select a rating as a display criteria, and option 136 permits the user to select a color for that rating. The options shown in profiles display 122 are illustrative only. The format of the options shown in FIG. 10 is only illustrative.

Other user interfaces may be used by the program guide if desired. For example, it may be preferable to select colors from a list (i.e., using arrows 138 in option 128 to select from among various available colors). In option 130, the program guide may allow the user to enter the first few characters of a desired title. The program guide may then present a list of available titles that start with those letters. When the list has been narrowed sufficiently, the user may select the desired program title from the list. The program guide may allow text to be entered letter by letter using the cursor keys on the remote to change each letter, using a wireless keyboard, using the numeric keys on the remote to enter letters corresponding to a telephone keypad, etc. If desired, the program guide may allow users to remove attributes from the profile being modified using profiles display 122.

The user may be given the option to select how the color information is presented in the program guide. As described above with respect to FIG. 9, a program has several program characteristics, i.e., program title, rating, actors, etc. The user may select particular characteristics as preference attributes and assign a color for each preference attribute, thereby creating a display criterion. Thus any program may meet more than one of the selected display criteria and therefore, may have more than one color associated with it. For example, the user may have created a display criterion for displaying dramas in blue. Moreover, the user may have also created a display criterion for displaying programming with actor Humphrey Bogart in yellow. Thus, when "Casablanca," a drama with Humphrey Bogart, is displayed in the program guide, at least two colors, yellow and blue are appropriate for display. The program guide may provide the user with the option to decide which, if any, display criterion are to be used. At step 140 of FIG. 11, the user is given the option to select the maximum number of colors to be displayed for any one program in a cell. For example, the user may want to display only one color for a program cell. 20

As illustrated in FIG. 11, the program guide provides the user with the option of specifying the sort order (i.e., priority) for each of the selected display criteria at step 142. For example, the user may decide that the category dramas is of particular interest and the cast of actors is of secondary interest. According to this priority, the user would want programming ("Casablanca") that has both a selected category (drama) and a selected actor (Humphrey Bogart) to be displayed according to the higher priority criteria, i.e., blue for dramas. Thus, when displaying programs that satisfy more than one display criterion, the program cell will be displayed in the color of the criterion having the highest priority. This feature is particularly useful when a user wishes to further simplify the process of selecting programs that may be of interest.

Alternatively, the user may select at step 140 that a program be displayed in two (or more) colors for the relevant program. Continuing with the example above, the user may prefer instead to be alerted to the fact that "Casablanca" is a drama and also features actor Humphrey Bogart. Thus, the user would wish to see "Casablanca" displayed in both blue and yellow colors.

At step 144 (FIG. 11), the user has the option of setting the display format of the guide. Colors associated with each criterion may be displayed simultaneously in a cell for a 45 single program listing. For example, multiple colors may be displayed in equally sized color blocks in a program listing. FIG. 13 illustrates a by-time display 150, wherein the cell 152 for "Casablanca" is displayed in two colors, i.e. blue block 154 and yellow block 156. Alternatively, a color may 50 be selected for text, and a different color may be selected for the background field. As FIG. 14 illustrates for by-time display 158, the text 160 for the title "Casablanca" is represented in yellow, and the background 162 is represented in blue. Alternatively, a plurality of colors may be 55 represented in alternating stripes, in patterns, or any other format for displaying two or more colors in a single program listing cell.

The program guide may allow colors that have been selected by the user to remain valid until deselected by the 60 user (step 146) illustrated in FIG. 12. Alternatively, when a user selects an individual airing of a program as part of a preference profile, the program guide will allow that selection to expire at the end of the program. This is shown as step 148 in FIG. 12.

If there are several users (e.g., different family members) associated with a given program guide, each user may have

his own profile. A profile may contain more than one display criterion of the same type. For example, preference profile 80 of FIG. 6 has two series criteria ("Seinfeld" and "60 Minutes"), two actor criteria (John Wayne and Audrey Hepburn), and two category criteria (golf and soap operas). Although six display criteria have been illustrated in three general groupings in the exemplary profile, the user may select as many criteria as desired.

The program guide allows multiple profiles to be used.

For example, different users (e.g., different family members who share user television equipment 40) may each have their own profile. One profile may be used for children. Another profile may be used for children when watching television with their parents (who can supervise). A profile may be created for each adult. Another profile may be created for adults to use when watching television together.

An illustrative set of profiles is shown in FIG. 15. Profile No. 1 belongs to a first user who has designated the serial program "Seinfeld" (blue), the serial program "60 Minutes" (red), and the category drama (orange) as display criteria. Profile No. 2 belongs to a second user who has designated the program ER (yellow) and the category comedy (red) as display criteria. Profile No. 3 belongs to a third user who has designated the category comedy (yellow), the actor James Stewart (blue), and the program X-Files (green).

Although each profile has its own independent set of display criteria, any given criterion may be in more than one profile. For example, the criterion comedy appears in both profile No. 2 and profile No. 3 (although with different colors assigned to each).

When a user desires to use the program guide, the user may activate an appropriate profile. As shown in FIG. 16, the program guide provides users with the option of selecting which profile to make active at step 164. More than one profile may be active at a given time.

When multiple profiles are used at the same time, the program guide may provide the user the option of selecting a display format at step 166, and subsequently displaying the list of programming at step 168. According to one display format, the program guide may display the criteria for a single profile only. (For this purpose, a master profile may be designated.) Alternatively, the program guide may display colors for each active profile in a given field within the program cell. As yet another alternative, the colors for each profile may be displayed in a unique field or background. These techniques for following multiple profiles to be active at the same time are illustrative only. Any other suitable technique may be used if desired.

For example, when multiple listings are active, the user may select at step 166 that colors for all active profiles will be displayed in a particular field, or portion, of the cell. Thus, when a program satisfies the criteria of both Profiles No. 1 and No. 2 (FIG. 14), the program guide may display Profile No. 1 selections on the left of each cell, and Profile No. 2 selections on the right of each cell. In the by-time listings display 170 of FIG. 17, the programs "Seinfeld," "60 Minutes", and the category drama satisfy the display criteria in Profile No. 1. The program ER and the category comedy satisfy the display criteria in Profile No. 2. The "Seinfeld" cell 172 contains two colors, one in each field, indicating that the program "Seinfeld" satisfies the criteria in both Profiles No. 1 and No. 2. Thus left field 174 corresponds to Profile No. 1 selections and right field 176 corresponds to 65 Profile No. 2. To further distinguish the selections of two profiles, the colors may be displayed for each profile on a different pattern, such as a solid or striped background.

Alternatively, the colors for each profile may be displayed with a unique icon. These display formats are merely illustrative examples of suitable visual indicators for easily distinguishing between the display criteria of two or more profiles. These approaches may be used in any suitable combination or any other suitable approach may be used to distinguish the results satisfying different profiles.

The foregoing is merely illustrative of the principles of this invention and various modifications can be made by those skilled in the art without departing from the scope and spirit of the invention.

What is claimed is:

1. An interactive television program guide system implemented on user equipment of a user, comprising:

means for providing an option with the interactive television program guide for a user to select a plurality of preference attributes that are indicative of the user's television programming interests;

means for providing an option for the user to select one of at least several colors for each of the plurality of 20 selected preference attributes; and

means for displaying a list of programming based on the selected preference attributes and the selected colors.

- 2. The interactive television program guide system defined in claim 1 wherein the means for providing the 25 option for the user to select a plurality of preference attributes comprises means for providing an option of selecting a program series as a preference attribute.
- 3. The interactive television program guide system defined in claim 1 wherein the means for providing the 30 option for the user to select a plurality of preference attributes comprises means for providing an option of selecting a given airing of a program as a preference attribute.
- 4. The interactive television program guide system defined in claim 1 further comprising means for allowing the 35 given airing of the program selected as a preference attribute to expire after the program has been aired.
- 5. The interactive television program guide system defined in claim 1 wherein the means for providing the option for the user to select a plurality of preference 40 attributes comprises means for providing an option of selecting a given actor or actress as a preference attribute.
- 6. The interactive television program guide system defined in claim 1 wherein the means for providing the option for the user to select a plurality of preference 45 attributes comprises means for providing an option of selecting a genre of programming as a preference attribute.
- 7. The interactive television program guide system defined in claim 1 wherein the means for providing the option for the user to select a plurality of preference 50 attributes comprises means for providing an option of selecting at least one rating as a preference attribute.
- 8. The interactive television program guide system defined in claim 1 wherein the means for providing the option for the user to select a plurality of preference 55 attributes comprises means for providing an option of selecting a type of channel as a preference attribute.
- 9. The interactive television program guide system defined in claim 1 wherein the means for providing the option for the user to select a plurality of preference 60 attributes comprises means for providing an option of selecting a given topic as a preference attribute.
- 10. The interactive television program guide system defined in claim 1 wherein the means for providing the option for the user to select a plurality of preference 65 attributes comprises means for providing an option of selecting a word in a program description as a preference attribute.

11. The interactive television program guide system defined in claim 1 wherein each one of the selected preference attributes and the respective one of the selected colors are associated as a display criterion, and further comprising:

means for providing an option of creating a preference profile with which the display criteria are associated.

12. The interactive television program guide system defined in claim 11 further comprising:

means for allowing the user to highlight a given program listing,

wherein the means for providing the option of creating a preference profile further comprises means for providing an option of creating the preference profile based on program information of the highlighted program listing.

- 13. The interactive television program guide system defined in claim 12 wherein the program information comprises a title of the highlighted program listing and the means for providing the option of creating the preference profile based on the program information of the highlighted program listing further comprises means for providing an option of selecting the title of the highlighted program listing as a preference attribute.
- 14. The interactive television program guide system defined in claim 12 wherein the program information comprises a genre of the highlighted program listing and the means for providing the option of creating the preference profile based on the program information of the highlighted program listing further comprises means for providing an option of selecting the genre of the highlighted program listing as a preference attribute.
- 15. The interactive television program guide system defined in claim 12 wherein the program information comprises a channel of the highlighted program listing and the means for providing the option of creating the preference profile based on the program information of the highlighted program listing further comprises means for providing an option of selecting the channel of the highlighted program listing as a preference attribute.
- 16. The interactive television program guide system defined in claim 12 wherein the program information comprises a rating of the highlighted program listing and the means for providing the option of creating the preference profile based on the program information of the highlighted program listing further comprises means for providing an option of selecting the rating of the highlighted program listing as a preference attribute.
- 17. The interactive television program guide system defined in claim 11 further comprising:

means for allowing the user to tune to a selected program, wherein the means for providing the option of creating a preference profile further comprises means for creating the preference profile based on the program information of the selected program.

- 18. The interactive television program guide system defined in claim 17 wherein the program information comprises a title of the selected program and the means for providing the option of creating the preference profile based on the program information of the selected program further comprises means for providing an option of selecting the title of the selected program as a preference attribute.
- 19. The interactive television program guide system defined in claim 17 wherein the program information comprises a genre of the selected program and the means for providing the option of creating the preference profile based on the program information of the selected program further

comprises means for providing an option of selecting the genre of the selected program as a preference attribute.

- 20. The interactive television program guide system defined in claim 17 wherein the program information comprises a channel of the selected program and the means for 5 providing the option of creating the preference profile based on the program information of the selected program further comprises means for providing an option of selecting the channel of the selected program as a preference attribute.
- 21. The interactive television program guide system 10 defined in claim 17 wherein the program information comprises a rating of the selected program and the means for providing the option of creating the preference profile based on the program information of the selected program further comprises means for providing an option of selecting the 15 rating of the selected program as a preference attribute.
- 22. The interactive television program guide system defined in claim 1 further comprising means for providing a profiles display with which the user may modify a preference profile with which the selected preference attributes 20 and the selected colors are associated.
- 23. The interactive television program guide system defined in claim 1 further comprising means for providing an option of deselecting at least one of the selected preference attributes.
- 24. The interactive television program guide system defined in claim 11 wherein there are multiple profiles, the system further comprising means for providing an option of selecting which of the profiles to make active.
- 25. The interactive television program guide system 30 defined in claim 24 wherein at least two of the preference profiles are active and wherein the means for displaying displays the list of programming based on the selected preference attributes and selected colors in the two preference profiles, the system further comprising:

means for indicating which of the programs in the list of programming satisfy which of the preference profiles.

- 26. The interactive television program guide system defined in claim 25 wherein the means for indicating comprises means for displaying the associated colors that satisfy 40 one of the two profiles in one location in the list and the associated colors that satisfy the other of the two profiles in another location in the list.
- 27. The interactive television program guide system defined in claim 26 wherein the means for indicating com- 45 prises means for displaying the associated colors that satisfy one of the two profiles using one pattern and the associated colors that satisfy the other of the two profiles using another pattern.
- 28. The interactive television program guide system 50 defined in claim 26 wherein the means for indicating comprises means for displaying the associated colors that satisfy one of the two profiles using one icon and the programs that satisfy the other of the two profiles using another icon.
- 29. The interactive television program guide system 55 defined in claim 24 wherein the means for displaying the list of programming based on the selected preference attributes and selected colors further comprises means for displaying the list of programming based on the selected preference profiles.
- 30. The interactive television program guide system defined in claim 24 further comprising means for providing an option for creating a master preference profile.
- 31. The interactive television program guide system 65 defined in claim 30 wherein the means for displaying a list of programming based on the selected preference attributes

and the selected colors further comprises means for displaying the list of programs based on the selected preference attributes and the selected colors of the master profile.

32. The interactive television program guide system defined in claim 1, wherein the user equipment is user personal computer equipment.

33. The interactive television program guide system defined in claim 1, wherein the user equipment is user television equipment.

34. A interactive television program guide system implemented on user equipment of a user, comprising:

means for providing an option for a user to select a plurality of preference attributes that are indicative of the user's television programming interests;

means for providing an option for the user to associate one of at least several colors with each of the plurality of selected preference attributes; and

means for displaying a list of programming such that a program having at least one of the selected preference attributes is displayed in the associated color of that preference attribute.

35. The interactive television program guide system defined in claim 34 wherein the means for displaying the list of programming further comprises means for providing an option of specifying a maximum number of associated colors for any one of the programs.

36. The interactive television program guide system defined in claim 35 further comprising means for providing an option of specifying a sort order for each of the selected preference attributes.

37. The interactive television program guide system defined in claim 36 wherein the means for providing an option of specifying a maximum number of associated colors further comprises means for displaying the associated colors according to the sort order for each of the selected preference attributes.

38. The interactive television program guide system defined in claim 34, wherein the user equipment is user personal computer equipment.

39. The interactive television program guide system defined in claim 34, wherein the user equipment is user television equipment.

40. A method for using an interactive television program guide system in which an interactive television program guide is implemented on user equipment of a user, compris-

providing an option for a user to select a plurality of preference attributes that are indicative of the user's television programming interests;

providing an option for the user to select one of at least several colors for each of the plurality of selected preference attributes; and

displaying a list of programming based on the selected preference attributes and the selected colors.

41. The method defined in claim 40 wherein the step of providing the option for the user to select a plurality of preference attributes further comprises providing an option of selecting a program series as a preference attribute.

42. The method defined in claim 40 wherein the step of attributes and selected colors associated with the multiple 60 providing the option for the user to select a plurality of preference attributes further comprises providing an option of selecting a given airing of a program as a preference

43. The method defined in claim 40 further comprising: allowing the given airing of the program selected as a preference attribute to expire after the program has been aired.

- 44. The method defined in claim 40 wherein the step of providing the option for the user to select a plurality of preference attributes comprises providing an option of selecting a given actor or actress as a preference attribute.
- 45. The method defined in claim 40 wherein the step of 5 providing the option for the user to select a plurality of preference attributes comprises providing an option of selecting a genre of programming as a preference attribute.
- 46. The method defined in claim 40 wherein the step of providing the option for the user to select a plurality of preference attributes comprises providing an option of selecting at least one rating as a preference attribute.
- 47. The method defined in claim 40 wherein the step of providing the option for the user to select a plurality of preference attributes comprises providing an option of 15 selecting a type of channel as a preference attribute.
- 48. The method defined in claim 40 wherein the step of providing the option for the user to select a plurality of preference attributes comprises providing an option of selecting a given topic as a preference attribute.
- 49. The method defined in claim 40 wherein the step of providing the option for the user to select a plurality of preference attributes comprises providing an option of selecting a word in a program description as a preference attribute.
- 50. The method defined in claim 40 wherein each one of the selected preference attributes and the respective one of the selected colors are associated as a display criterion, and further comprising:

providing an option of creating a preference profile with 30 which the display criteria are associated.

51. The method defined in claim 50 further comprising: allowing the user to highlight a given program listing, wherein the step of providing an option of creating a 35 preference profile further comprises providing an

option of creating the preference profile based on program information of the highlighted program list-

- 52. The method defined in claim 51 wherein the program 40 multiple profiles, the system further comprising: information comprises a title of the highlighted program listing and the step of providing an option of creating the preference profile based on the program information of the highlighted program listing comprises providing an option of selecting the title of the highlighted program listing as a 45 preference attribute.
- 53. The method defined in claim 51 wherein the program information comprises a genre of the highlighted program listing and the step of providing the option of creating the preference profile based on the program information of the 50 highlighted program listing comprises providing an option of selecting the genre of the highlighted program listing as a preference attribute.
- 54. The method defined in claim 51 wherein the program information comprises a channel of the highlighted program 55 listing and the step of providing an option of creating the preference profile based on the program information of the highlighted program listing comprises providing an option of selecting the channel of the highlighted program listing as a preference attribute.
- 55. The method defined in claim 51 wherein the program information comprises a rating of the highlighted program listing and the step of providing an option of creating the preference profile based on the program information of the highlighted program listing further comprises providing an 65 option of selecting the rating of the highlighted program listing as a preference attribute.

- 56. The method defined in claim 50 further comprising: allowing the user to tune to a selected program,
- wherein the step of providing the option of creating the preference profile further comprises creating the preference profile based on the program information of the selected program.
- 57. The method defined in claim 56 wherein the program information comprises a title of the selected program and the step of providing the option of creating the preference profile based on the program information of the selected program further comprises providing an option of selecting the title of the selected program as a preference attribute.
- 58. The method defined in claim 56 wherein the program information comprises a genre of the selected program and the step of providing an option of creating the preference profile based on the program information of the selected program further comprises providing an option of selecting the genre of the selected program as a preference attribute.
- 59. The method defined in claim 56 wherein the program information comprises a channel of the selected program and the step of providing an option of creating the preference profile based on the program information of the selected program further comprises providing an option of selecting the channel of the selected program as a preference attribute.
- 60. The method defined in claim 56 wherein the program information comprises a rating of the selected program and the step of providing an option of creating the preference profile based on the program information of the selected program further comprises providing an option of selecting the rating of the selected program as a preference attribute.
 - 61. The method defined in claim 40 further comprising: providing a profiles display with which the user may modify a preference profile with which the selected preference attributes and the selected colors are asso-
 - 62. The method defined in claim 40 further comprising: providing an option of deselecting at least one of the selected preference attributes.
- 63. The method defined in claim 50 wherein there are
 - providing an option of selecting which of the profiles to make active.
- 64. The method defined in claim 63 wherein at least two of the preference profiles are active and wherein the step of displaying comprises displaying the list of programming based on the selected preference attributes and selected colors in the two preference profiles, the system further comprising:

indicating which of the programs in the list of programming satisfy which of the preference profiles.

- 65. The method defined in claim 64 wherein the step of indicating comprises displaying the associated colors that satisfy one of the two profiles in one location in the list and the associated colors that satisfy the other of the two profiles in another location in the list.
- 66. The method defined in claim 65 wherein the step of indicating comprises displaying the associated colors that satisfy one of the two profiles using one pattern and the associated colors that satisfy the other of the two profiles using another pattern.
- 67. The method defined in claim 65 wherein the step of indicating comprises displaying the associated colors that satisfy one of the two profiles using one icon and the programs that satisfy the other of the two profiles using another icon.
- 68. The method defined in claim 63 wherein the step of displaying the list of programming based on the selected

preference attributes and selected colors further comprises displaying the list of programming based on the selected preference attributes and selected colors associated with the multiple profiles.

69. The method defined in claim 63 further comprising: 5 providing an option for creating a master preference profile.

70. The method defined in claim 69 wherein the step of displaying a list of programming based on the selected option of specifying a maximum number of associated preference attributes and the selected colors comprises displaying the list of programs based on the selected preference attributes and the selected colors of the master profile.

71. A method for using an interactive television program guide system in which an interactive television program ing:

providing an option for a user to select a plurality of preference attributes that are indicative of the user's television programming interests;

providing an option for the user to associate one of at least several colors with each of the plurality of selected preference attributes; and

displaying a list of programming such that a program having at least one of the selected preference attributes is displayed in the associated color of that preference attribute.

72. The method defined in claim 71 wherein the step of displaying the list of programming comprises providing an

73. The method defined in claim 72, further comprising: providing an option of specifying a sort order for each of

the selected preference attributes.

74. The method defined in claim 73 wherein the step of guide is implemented on user equipment of a user, comprisassociated colors further comprises displaying the associated colors according to the sort order for each of the selected preference attributes.

05/06/2003, EAST Version: 1.03.0002



(12) United States Patent Boyer et al.

(10) Patent No.:

US 6,268,849 B1

(45) Date of Patent:

*Jul. 31, 2001

(54) INTERNET TELEVISION PROGRAM GUIDE SYSTEM WITH EMBEDDED REAL-TIME DATA

(75) Inventors: Franklin E. Boyer, Cleveland; Timothy B. Demers, Tulsa, both of OK

(US)

(73) Assignee: United Video Properties, Inc., Tulsa, OK (US)

(*) Notice:

This patent issued on a continued prosecution application filed under 37 CFR 1.53(d), and is subject to the twenty year patent term provisions of 35 U.S.C. 154(a)(2).

Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: 09/107,012

(22) Filed: Jun. 30, 1998

348/12, 13, 906; 455/6.2, 6.3, 5.1, 4.2; 395/200.47, 200.48, 200.49; 709/217–219; H04N 7/173

(56) References Cited

U.S. PATENT DOCUMENTS

5,589,892		12/1996	Knee et al	348/731
5,596,373	*	1/1997	White et al	348/569
5,629,733	*	5/1997	Youman et al	348/7

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

0 723 369 A1 7/1996 (EP) H04N/7/00

WO 96/27989		9/1996	(WO)		H04N/7/173
WO 96/38962				***************************************	
WO 97/42763	* 1	11/1997	(wo)		H04N/7/173

OTHER PUBLICATIONS

The InfoBeat program guide website of InfoBeat, Inc. This website is located at www.infobeat.com (as printed from the Internet on Sep. 1, 1998).

The television program guide website of TV Guide Entertainment Network. This website is located at www.tvguide.com (as printed from the Internet on Sep. 1, 1998).

The television program guide website of Gist Communications, Inc. of New York, New York. This website is located at www.gist.com (as printed from the Internet on Sep. 1, 1998).

The click TV television program guide website of TVData of Queensbury, New York. This website is located at www.clicktv.com (as printed from the Internet on Sep. 1, 1998).


(List continued on next page.)

Primary Examiner—John W. Miller (74) Attorney, Agent, or Firm—Fish & Neave; Brajesh Mohan

(57) ABSTRACT

An Internet television program guide system is provided that allows a user at a multimedia system to access television program listings containing embedded real-time data over an Internet communications link. The television program listing may be for a sporting event that is currently being broadcast and the real-time data may be the current score of the event, the current weather where the event is taking place, or any other suitable real-time information on the event. The real-time data may be presented in the form of video stills, video clips, textual information, audio clips, or suitable combinations of such media. The user can perform database searches on the program guide listings to search for a desired program. If desired, the user can obtain additional information on a selected program by accessing an associated web page.

64 Claims, 14 Drawing Sheets



US 6,268,849 B1

Page 2

U.S. PATENT DOCUMENTS

5,692,214		11/1997	Levine 395/833
5,721,827	+	2/1998	Logan et al 395/200.47
5,790,202	*	8/1998	Kummer et al 348/553
5,828,839	•	10/1998	Moncreiff 395/200.34
5,828,945	*	10/1998	Klosterman 455/4.2
5,850,218	*	12/1998	LaJoie et al 345/327
6,002,394	*	12/1999	Schein et al 345/327
6,052,145		4/2000	Macrae et al 348/10


OTHER PUBLICATIONS


"UVSG Teams With Microsoft On Internet Information Server," press release of United Video Satellite Group (Feb. 22, 1996).


"ÚVSG Offers System-Specific Web Site Development for OPS," press release of United Video Satellite Group (Apr. 12, 1996).

"Set-Top Box Control Software: A Key Component in Digital Video," in *Philips Journal Of Research*, Rath et al. (1996).

^{*} cited by examiner









F/G. 5


320


A TOWER OF TV POWER AWAITS YOU. CHECK OUT PREVUE NEW MOVIES? LIKE HOT STARS? SNEAK PREVUE ONLINE 240 LISTINGS BY TIME, BY CHANNEL, BY TITLE & MORE! LIKE HAS VIDEO CLIPS OF THE LATEST MOVIES ON TV, 1-ON-1 INTERVUES WITH THE STARS AND SNEAK PEEKS AT LIVE CHANNEL ONLINE FOR INTERACTIVE ACCESS TO TV **PREVUE** ONLINE GO SATELLITE 286 SELECT A SERVICE SUPERSTAR **PRIMESTAR** DIRECT TV PREVUE CHANNE ONLINE PAY-PER-VIEW EVENTS! SELECT A SERVICE & TIME ZONE MOUNTAIN SNEAK PREVUE EASTERN CENTRA ONLINE PACIFIC PLEASE PICK AGAIN! **GO NATIONAL** CAN'T GOLOCAL MOUNTAIN CHANNE EASTERN CENTRAL PREVUE ONLINE PACIFIC YOUR CABLE AREA, CHECK OUT ONE OF THESE SITES TO SEE WHAT PREVUE ONLINE COULD OFFER IN 330 SELECT A CITY ANNEAHEIM SUBMIT


05/06/2003, EAST Version: 1.03.0002




















05/06/2003, EAST Version: 1.03.0002

			IAI I	0	8 7						
	THERE'S ONLY ONE THE MATCH MATCH FOR MATCHLIGHT!	LISTING FOR GENRE - MOVIE	LAND OF THE PHARAOHS	EI	IN THE GOOD OLD SUMMERTIME	SEX AND THE SINGLE GIRL	ш	MOTHER JUGS & SPEED	RINCESS	CASE	VUE INTERACTIVE
000			-	$\frac{36}{REQ}$ THE CRAFT	96 ICM IN THE GO	111	25 SHOW MAD LOVE	•	98 EROTIC PRINCESS	35 THE BIRDCASE	WHAT'S ON BY PREVUE INTERACTIVE
	D PERSONNE C CHANNEL ONLINE	TIME & DATE	SAT 07 12:00PM	SAT 07 12:00PM	SAT 07 12:00PM	SAT 07 12:00PM	SAT 07 12:25PM	SAT 07 12:30PM	SAT 07 1:00PM	SAT 07 1:00PM	INEO
	THERE'S ONLY THE ONE MATCH FOR MATCHLIGHT!	TIME CHANNE!	<u> </u>	SELECT DAY TO VIEW	1 2 3 4 5 6 7	5 8 9 10 11 12 13 14 15 16 17 18 19 20 21	ME OF DAY		PRIME TIME LATE NITE		MARJORA
					998						

FIG. 14

8882210

2

INTERNET TELEVISION PROGRAM GUIDE SYSTEM WITH EMBEDDED REAL-TIME DATA

BACKGROUND OF THE INVENTION

This invention relates to the Internet, and more particularly, to techniques for providing television program guide information and services with embedded real-time data to a user over the Internet.

A large number of television channels are available over cable television systems and satellite television systems. Television viewers have traditionally had to consult preprinted television program listings to determine which programs were scheduled to be broadcast on a particular day. More recently, television-based program guides have been developed that allow television viewers to view television program listings directly on their television sets.

For example, the Prevue® channel is a scrolling television program listings service that a cable system operator may make available to subscribers over a dedicated cable channel. Viewers can tune to the appropriate television channel to view program listings for television programs that are currently being broadcast and are scheduled to be broadcast in the next few hours. Although the Prevue® channel is a valuable service, the viewer is somewhat constrained by the passive nature of the service. For example, the viewer cannot view television listings for the next day or week.

As a result, more advanced television program guide services have been developed that allow a service provider to deliver television program listings data to a user's set-top box. The program listings data is typically delivered over the television cable system infrastructure (e.g., on a given television channel during the vertical blanking interval or over an out-of-band channel). Software in the set-top box allows the user to display the television program listings on the user's television set.

data server is used to provide multimedia clips and related television program guide data for the system. The multimedia material and related television program guide data may be provided to a web server for redistribution to a user's personal computer or other suitable multimedia system.

Dynamic information regarding events in progress that are being televised may be provided to the web server from one or more information processing facilities. Such dynamic information may be linked with related static information in

These program guide services allow the user to manipulate the television listings by searching or sorting through the listings using criteria such as genre, channel, and broadcast time. An example of such an interactive television program guide is the Prevue Express® guide of Prevue Networks, Inc. of Tulsa, Okla., the assignee of the present invention.

Although passive scrolling guides and interactive set-top 45 box guides are useful sources of television program guide information, millions of users with personal computers were not able to obtain on-line television program listings using such systems. In addition, users were not generally able to view selected promotional video clips, interview segments, 50 audio clips, or other multimedia material related to a given television program.

In order to meet these demands, television program guide systems that provide television program listings from a web server to a user's multimedia system over an Internet 55 communication link were developed. For example, the Prevue Online® service available on the Internet at http://www.prevue.com from Prevue Networks, Inc. of Tulsa, Okla., the assignee of the present invention, provides television program listings over an Internet communication link. 60 Users can gain access to the Prevue Online® web site on the Internet through any Internet service provider (such as through the WorldNetTM service available from American Telephone and Telegraph Company of New York, N.Y.). Once at the home page of the Prevue Online® service, the 65 user may access information using commonly available web browser software.

Although Internet television program guide systems that provide television program listings from a web server to a user's multimedia system over an Internet communications link are useful sources of television program guide information, the user is somewhat constrained by the static nature of the information available. The user is able to determine from the television program listings that an event (e.g., a sporting event or other game) is in progress, but the user cannot view the current status of the event. For example, the user cannot receive real-time information about whether a game is suspended, whether the game is in overtime, the current score, etc.

It is therefore an object of the present invention to provide a television program guide system that provides television program listings with embedded real-time data from a web server to a user's multimedia system over an Internet communications link.

It is a further object of the present invention to provide a television program guide system that allows users to click on text or still images to view additional information related to the embedded real-time data.

SUMMARY OF THE INVENTION

These and other objects of the invention are accomplished in accordance with the principles of the present invention by providing an Internet television program guide system, that displays television program listings with embedded real-time data. A computer system having a media library and a data server is used to provide multimedia clips and related television program guide data for the system. The multimedia material and related television program guide data may be provided to a web server for redistribution to a user's personal computer or other suitable multimedia system.

Dynamic information regarding events in progress that are being televised may be provided to the web server from one or more information processing facilities. Such dynamic information may be linked with related static information in the media library and/or the data server to provide the user with additional information pertaining to the events in progress. The web server provides the static and dynamic information to the user's multimedia system via an Internet communications link.

The user's multimedia system has a processing unit for receiving and processing information from the Internet communications link. The processing unit may be based on a personal computer running a standard web browser with plug-ins. The multimedia system may also have the capability to receive television signals.

Television program listings with embedded real-time data are preferably provided to the user's multimedia system in the form of web pages. Because such an arrangement allows the use of the widely-adopted hypertext transfer protocol (http), a user with a personal computer can access information using commonly available web browser software. Because television program listings with embedded realtime data are distributed over the Internet, the user can access this information at remote locations. For example, the user can access the television program listings with embedded real-time data while traveling by car (e.g., using a cellular modem), from a hotel room or business meeting, from a personal computer at work, or in any suitable environment in which there is a link to the Internet. The user can receive this dynamic information from locations not covered by cable or satellite systems or locations where the user may not have access to cable or satellite service.

Because the Internet television program guide system with embedded real-time data may be provided using a web

site having a number of linked web pages, supplemental information related to the embedded real-time data can be provided to the user. Such supplemental information might include statistics pertaining to the teams and/or specific athletes that are participating in a game. The supplemental information may be provided using any suitable media format such as animation, full motion video, sound, still images, or text.

Further features of the invention, its nature and various advantages will be more apparent from the accompanying 10 drawings and the following detailed description of the preferred embodiments.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a schematic diagram showing how a media library, data server, and data inputs from information processing facilities may be interconnected with a web server and various multimedia systems in accordance with the present invention.

FIG. 2 is an illustrative display containing a home page for an Internet television program guide system with embedded real-time data in accordance with the present invention.

FIG. 3 is an illustrative display containing a map-based menu for identifying a geographical area of interest in 25 accordance with the present invention.

FIG. 4 is an illustrative display containing a map-based menu for a smaller geographical area than the area shown in FIG. 3.

FIG. 5 is an illustrative display of a menu offering access 30 to various types of program listings as alternatives to access to local program listings in accordance with the present invention.

FIG. 6 is an illustrative display presenting various program guide options to the user in accordance with the present invention.

FIG. 7 is an illustrative display containing weather information.

FIG. 8 is an illustrative display presenting various pro- 40 gram guide options related to the way in which television program guide listings are organized on the user's display screen in accordance with the present invention.

FIG. 9 is an illustrative display containing television the present invention.

FIG. 10 is an illustrative display of information on an event selected by the user and related options in accordance with the present invention.

FIG. 11 is an illustrative display presenting a menu of 50 channel selections in accordance with the present invention.

FIG. 12 is an illustrative display containing television program guide listings organized by channel in accordance with the present invention.

FIG. 13 is an illustrative display containing icons representing category options in accordance with the present invention.

FIG. 14 is an illustrative display containing television program guide listings organized by category in accordance 60 with the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

An Internet television program guide system 8 for pro- 65 viding television program listings with embedded real-time data in accordance with the present invention is shown in

FIG. 1. Television program information is stored in media library 12 and data server 14 of main facility 10. Media library 12 preferably contains an array of compact disc read only memory (CD-ROM) disks, digital video disks (DVDs), or other suitable media for storing multimedia content. Media library 12 contains television program clips and related interviews and reviews. Media library 12 may also contain video clips and related interviews and reviews from previously televised sporting events. The television program information stored in media library 12 is primarily video

Data server 14 maintains various databases of television program information. For example, data server 14 maintains a television program listings database. Data server 14 may also have a remote media database containing descriptions of the videos in media library 12. In addition, data server 14 may have a database containing statistical information on various sports teams (e.g., National Football League teams, National Hockey League teams, National Basketball Association teams, etc.), as well as information on the players of each team. Data server 14 may have a cable system operator database containing channel lineups, information on the time zone of the operator, weather data for the operator's region, data on the zip codes in the cable system operator's area, etc. Other databases may be supported by data server 14 if desired. The television program information in data server 14 is primarily in non-video formats.

Media library 12 and data server 14 may be interconnected with transmission server 16 via internal network 18. In addition to information received from media library 12 and data server 14, transmission server 16 receives information from one or more real-time data processing facilities 20, 22, 24 and 26 via network links 30 and 32 and/or via satellite links 34 and 36. Media library 12, data server 14, network 18, and transmission server 16 including its links make up computer system 100. Television program information-may be stored on data server 14 in a relational database format and may be stored on transmission server-16 in an object-oriented database format. A building process implemented in the C++ programming language can be used to periodically build a temporary data set of television program information (e.g., a seven-day to one-month data set) for storage on transmission server 16.

Transmission server 16 receives dynamic or real-time program guide listings organized by time in accordance with 45 data to be displayed with a corresponding program listing for an event in progress that is being televised or with any other program listing to which the real-time data is of relevance. Such real-time data may include weather data, sports scores, video stills, video and audio clips, interview segments, etc. The real-time data received by transmission server 16 from processing facilities 50 is embedded within the television program listing of the corresponding televised event in progress or within any other program listing to which the real-time data is of relevance. For example, if transmission server 16 receives real-time data from information processing facility 22 such as the score in a basketball game being played between the New York Knicks and the Chicago Bulls that is being televised on the MSG channel, the current score of the game is embedded within the row of text of the corresponding television program listing which indicates that the New York Knicks v. Chicago Bulls game is being televised on MSG from 8:00 P.M. EST to 11:30 P.M. EST. Similarly, real-time data pertaining to the weather may be embedded within the program listing of an outdoor event such as a marathon, which may be in progress and being televised or which may be scheduled to be televised in the near future.

Television program information including television program listings information and related real-time data may be transferred from transmission server 16 to web server 55 via communications line 52. Communications line 52 may be part of an internal network or may be a standard dedicated 5 communications line. Data may also be transferred from transmission server 16 to web server 55 via satellite. Web server 55 can be connected to the Internet 60 via communications link 56. Communications link 56 is preferably a telephone network link or other suitable Internet communications path.

If transmission server 16 and web server 55 are separate devices, as shown in FIG. 1, transmission server 16 can be used as a common data processing facility for other applications which use the type of data stored on transmission server 16 server 16. If desired, the functions of transmission server 16 and web server 55 can be integrated in a single machine. Similarly data server 14 and transmission server 16 can be integrated in a single machine with separate logical functionalities.

Web server 55 uses a standard protocol such as the TCP/IP (Transmission Control Protocol/Internet Protocol) and hypertext transfer protocol to make television program information available over the Internet 60 to users at multimedia systems 70, 72, 74, and 76 via communication links 62, 64, 66, and 68, respectively. Communication links 62, 64, 66, and 68 are Internet links formed from telephone lines, radio-frequency (RF) links, cable modem links, satellite dish links, combinations of links such as these, or any other suitable Internet connection paths.

Multimedia systems 70, 72, and 74 may be standard modern laptops, notebooks, or desktop computers with multimedia and Internet capabilities. Multimedia system 76 uses an integrated personal computer and television 78, such as the Gateway 2000 Destination® PC-TV hybrid available from Gateway 2000 Inc. of North Sioux City, S. Dak. Television signals are provided at input 80. Internet access is provided via Internet communications link 68.

During operation of system 100, certain data processing functions, such as user-initiated searches and sorts, may be performed on web server 55. If desired, such functions can be performed on a suitable data processing component in one of multimedia systems 70, 72, 74, or 76.

Regardless of the specific configuration of the multimedia systems used in the system of FIG. 1, the user of such a multimedia system has the capability to access an interactive Internet television program guide having embedded real-time data within its program listings using web server 55. The features of the program guide are available using the personal computer functions of the user's multimedia system. If it is desired to use certain program guide features that rely upon the control of a tuner or recording unit, the multimedia system should also have the ability to tune to a desired television program from among the various television programs provided at input 80 and have the ability to record that program automatically, under the control of commands from a built-in processing unit.

The system hardware shown in FIG. 1 is illustrative and other suitable hardware arrangements may be used if 60 desired. Regardless of the particular hardware system that is used, however, the present invention preferably provides the television program guide to users over the Internet in the form of multiple web pages that use the standard hypertext transfer protocol (http). In the system of FIG. 1, web pages 65 and associated program guide features (such as searching, etc.) are provided using web server 55.

Because the television program guide is provided using web pages, the features of the program guide may be accessed using standard web browsers operating on the appropriate processing unit in the user's multimedia system. For example, in multimedia system 72 of FIG. 1, a web browser may be implemented using the computer's built-in processing unit. Suitable web browsers include the Internet Explorer® web browser of Microsoft Corporation of Redmond, Wash. and the Netscape Navigator® web browser of Netscape Communications Corporation of Mountain View, Calif. Such web browsers support the viewing of various types of multimedia content, such as video stills (JPEG or GIF files) and video and audio clips (AVI, MOV, and MPG files). If desired, certain of these multimedia support functions may be provided as web browser plug-ins (i.e., special software modules designed to enhance the features of a web browser application). A suitable video player plug-in for MOV files is the Quicktime® application of Apple Computer, Inc. of Cupertino, Calif. AVI and MPG (or MPEG-Motion Picture Expert Group) files may be played using the ActiveMovie® application of Microsoft Corporation.

An illustrative welcome page 200 for the television program guide of the present invention is shown in FIG. 2. Web browser function keys 226 help the user to navigate through web pages of material such as welcome page 200. Users may also navigate by clicking on an image or an element of highlighted text with cursor 242, which may be controlled by a pointing device such as a mouse or trackball. Other arrangements for selecting links may be used if desired. Web browser function keys 226 include back and forward keys that allow the user to navigate backward and forward along a browsing trail. Web browser function keys 226 are not shown in the other drawings, but are shown in FIG. 2 to illustrate the types of function keys that are available with a standard web browser.

Welcome page 200 may contain identifying logos 228. Identifying logos 228 allow a user to quickly associate a service provider with the Internet television program guide service. If desired, welcome page 200 can contain summary instructions 230 that inform the user of some of the features available with the guide. The summary instructions 230 may, for example, inform the user that the guide provides embedded real-time data within the program listings of televised events in progress. Other web pages (not shown) may contain links that point to welcome page 200.

An important aspect of the Internet television program guide provided by system 8 (FIG. 1) relates to providing on-line television program listings that contain real-time data on televised events in progress. The user may be presented with a number of choices regarding the type of on-line program listings that are available. In addition, the user may be provided with an opportunity to access supplemental real-time information on the events in progress based on the program listings the user displays. For example, the user may be presented with the opportunity to select between go local option 236, go national option 238, and go satellite option 240. After the user has selected one of these options, the user may access dynamic information pertaining to events in progress which are being televised and thus appear in the program listings for the option chosen by the user.

If the user desires to select go local option 236, the user may be prompted to enter a zip code for the local area of interest in box 244. If service is available, the program guide system presents the user with information for an appropriate local system operator's television lineup based on the zip

code information. If the user is unaware of the zip code of the region where the event in progress is being televised, the user can select a local area by entering information such as a cable system operator's name, the name of a city, international country and city information, etc. Another way in 5 which the user may select a local service area of interest is using a map-based graphical user interface. As shown in FIG. 3, the user is presented with United States map 302. The user selects a state of interest using cursor 304. If necessary, additional maps containing greater levels of detail 10 are provided, each allowing the user to make further geographical selections. Ultimately, the user is presented with a local map (e.g., a map that allows the user to select from several available cable system operators). In map 306 of FIG. 4, the user can select between three available cable 15 system operator regions: region 1, region 2, and region 3.

If no local service is available, the user may be provided with pick again page 320 as shown in FIG. 5. Pick again page 320 provides the user with another opportunity to select go national option 238 or go satellite option 240. In 20 addition, pick again page 320 provides the user with select a city option 322, which is associated with a less restrictive set of program information than go local option 236 (FIG. 2). With select a city option 322, the user may select a desired city where the event in progress is being televised 25 using arrow key 324 (or alternatively, could type the name of the city directly into box 326). After entering the desired city, the city information is submitted to the system by clicking on submit button 330. Because select a city option 322 is less localized than go local option 236, choosing 30 select a city option 322 makes it more likely that there will be a set of program listings available for the user.

If service is available for the user in either the city selected in city option 322 or the localized geographic area selected in go local option 236, the user is presented with local cable site page 350 of FIG. 6, which is customized to reflect the local geographic area or city selected by the user. Local cable site page 350 may contain a welcome message 352 that is customized to reflect the name of the local cable system operator.

A number of options 354 may be presented as hypertext links to associated web pages. An image 356 is displayed that changes as the user places cursor 242 (FIG. 2) on top of each option 354. For example, the image 356 of FIG. 6 is presented when the user positions cursor 242 over program guide option 360. Different images are displayed as cursor 242 passes over each option 354. The images 356 to be displayed may be stored as bitmap images. This technique of presenting context-sensitive images to illustrate the current position of the cursor over hypertext link options is preferably used throughout the Internet television program guide service.

Various web pages may be displayed depending on which option 354 is selected by the user. For example, an option 354 that is available on local cable site page 350 (FIG. 6) is local weather option 364. Selecting local weather option 364 takes the user to local weather page 400 (FIG. 7). If desired, a map-based menu (such as shown in FIGS. 3 and 4) or other user input arrangement can be used to provide the user with the opportunity to select additional cities for which weather information is desired.

Program guide option 360 allows the user to access television program listings that can be organized by time, channel, and category and can be searched. Selecting program guide option 360 takes the user to program guide menu page 500 (FIG. 8). The user may reach program guide menu

page 500 (FIG. 8) from go national option 238 (FIGS. 2 and 5) or go satellite option 240 (FIGS. 2 and 5). If the user selected go local option 236 (FIG. 2), the user may reach program guide menu page 500 (FIG. 8) by selecting program guide option 360 on local cable site page 350 (FIG. 6). The user may also reach program guide menu page 500 (FIG. 8) via select a city option 322 (FIG. 5). Each of these paths to program guide menu page 500 requires that slightly different user selections be made.

Go local option 236 (FIG. 2) requires that a user specify a particular local region (or cable system operator) of interest to reach local cable site page 350 (FIG. 6). To reach program guide menu page 500 (FIG. 8) from local cable site page 350 (FIG. 6), the user selects program guide option 360.

Go national option 238 (FIGS. 2 and 5) requires that a user select a desired time zone (e.g., eastern, central, mountain, or pacific). To reach program guide menu page 500 from welcome page 200 (FIG. 2) or pick again page 320 (FIG. 5), the user selects program guide option 284.

Go satellite option 240 (FIGS. 2 and 5) requires that the user select a desired satellite provider 286. To reach program guide menu page 500 from welcome page 200 (FIG. 2) or pick again page 320 (FIG. 5), the user selects program guide option 288.

Select a city option 322 (FIG. 5) requires that the user enter information specifying a particular city. The user reaches program guide menu page 500 from local cable site page 350 (FIG. 6) after the user submits the city information by clicking on submit button 330.

Regardless of which option is used to reach program guide menu page 500 (FIG. 8), information is preferably retained by the system that indicates which selections have been made by the user. Retaining this information allows subsequently displayed program listings and other information to be automatically customized to reflect the user's selections.

As shown in FIG. 8, program guide menu page 500 may be constructed from two smaller web pages: top web page 502 and a bottom web page 504. Top web page 502 contains graphics and text-based options 508 that are common to many different system operators. Bottom web page 504 may contain system specific promotional materials, such as pay-per-view video promotion 506. Dividing program guide menu page 500 in this way allows system resources to be used more efficiently than would otherwise be possible, because the common material in top web page 502 can be used for more than one local cable system.

Options 508 allow the user to choose how to display various program listings for the user's preselected region of interest (national, satellite, or local). Typical options 508 include by time option 510, by channel option 512, by category option 514, and search option 516. The user may, based upon category options 514, locate an event by choosing the corresponding category. If the event sought by the user is a game in progress which is being televised, then the user may select sports as the category by which program listings are to be displayed. The user may thus be able to locate the sporting event of interest along with its real-time embedded data and any associated supplemental information.

If by time option 510 is selected, the user is presented with by time page 600, as shown in FIG. 9. By time page 600 contains program listings 620 that are organized in channel order from top to bottom and by broadcast time from left to right. In by time page 600, the programs in program listings

620 may be listed beginning with programs that are currently being broadcast. For example, if the current time is between 1:30 P.M. and 2:00 P.M., program listings 620 may begin-with-programs that start-at-1:30 P.M.+ Programs in program listings 620 that are reflective of televised events in progress provide dynamic information about those events by way of embedded real-time data 650. Embedded real-time data 650 may be displayed adjacent to a program-title, as shown in FIG. 9. Program strings 620 can be identified as events in progress by stating that the broadcast is "LIVE" 10 and/or by distinguishing—the—appearance of live program listings from those that are prerecorded by virtue of color, texts-etc.

If the user is aware that a televised event is in progress, the user may use by time option **510** or other suitable display option to display the desired program listing. The user can visually locate the program listing of interest and the corresponding real-time data within the listing because of its distinguishing appearance.

The user can also select the search option 516 and can search for program listings by title, channel, rating, etc. The user may search for televised sporting events in progress by selecting a channel dedicated to sports. Similarly, if the user knows the title of a sporting event and wishes to view the current score or other information in real time, the event and its corresponding embedded real-time data can be located by conducting a search by title.

Cursors 622 and 624 (FIG. 9) are used to navigate to earlier or later time periods, respectively. Web browser cursors 626 and 628 allow the user to scroll through the program listings. The user may also navigate the program listings with time navigation buttons 630. For example, if the user would like to view program listings that begin in the morning, the user clicks on the morning navigation button 35 630. If the user would like to view program-listings for programs currently being broadcast, the user may click on the current navigation button 630. Program listings for different days in the month may be viewed by selecting the appropriate day from calendar buttons 632. Similarly, information regarding events televised live in the past can be viewed by the user by selecting the day of the event from the calendar. The program listing displayed in that event would reflect the final score, if the event was a game, in addition to other information that was made available to the user at the time the event was being televised.

The user can choose between various available view options by selecting the appropriate time, channel, category, or search button from among view buttons 634. View buttons 634 take the user to the same web pages that are presented when the corresponding options 508 of FIG. 8 are selected. For example, by channel option 512 and channel view button 634 are both linked to by channel page 760 (FIG. 11).

Another component of by time page 600 and various other 55 web pages provided by the present system is program information box 636. Program information box 636 provides supplemental information on the selected television program listing. The contents of program information box 636 change as different program titles are selected from program listings 620. For example, the user has clicked on the entry "Knicks v. Bulls" in program listings 620 of FIG. 9. As a result, the contents of program information box 636 reflects this selection. If the program title selected by the user corresponds to an event in progress which is being televised (e.g., a 65 basketball game), then program information box 636 may reflect static as well as dynamic information about the event.

In the above example, program information box 636 might contain static information such as the program title (e.g., Knicks v. Bulls) or the running time of the program (e.g., 2:45). Program information box 636 might also contain real-time data such as the current score (e.g., Knicks: 43; Bulls: 42, half time ...), highlights of the game (e.g., Knicks first lead in the game, shot putting Knicks ahead made by Patrick Ewing at half time buzzer ...). Program information box 636 may be customized to reflect additional information in a different sequence as well.

If the user selects a program that is not a televised event in progress, the program information box 636 provides solely static information pertaining to the selection made by the user. For example, if the user selects a movie, then the program information box 636 typically contains the program title (e.g., Primal Fear), the running time of the program (e.g., 2:09), a brief description of the program (e.g., A hot shot . . .), and a description of the program type or genre (e.g., drama movie). The program description may contain information on the actors in the program, the director, etc. Program information box 636 typically provides a rating of the program, such as a star rating (e.g., three stars) or the Motion Picture Association of America (MPAA) rating for movies or the television rating for television programs.

If the user desires to view additional supplemental information relating to the selected program, the user may click on closer look icon 638 (or alternatively, on any portion of box 636), which takes the user to program information page 700 (FIG. 10). Program information page 700 may provide both static and dynamic information relating to the selected program listing. If the program listing selected by the user is for a televised game in progress, the information displayed on program information page 700 could reflect the statistics 702 of the teams and/or individuals that are playing. In addition, additional information could also include video stills, video and/or audio clips of key shots made or missed by players 720, interview segments 725, etc. A user can also click on a graphic or text link to the web site of a network or other source of information.

By channel page 760 of FIG. 11 is presented when the user selects by channel option 512 from program guide menu page 500 (FIG. 8) or when the user clicks on a channel view button, such as channel view button 634 of by time page 600 (FIG. 9). By channel page 760 contains channel list 762 may be arranged in channel number order and may contain associated icons 764 for certain channels. A user can click on each individual channel 766 in channel list 762 to obtain a list of program information based on the selected channel. For example, the user may select a sports channel to view dynamic information pertaining to a game in progress being televised on that particular channel.

When a channel 766 is selected, the user is presented with channel program list page 800, as shown in FIG. 12. The selected channel in the example of FIG. 12 is channel 2. In channel program list page 800, program listings 802 for the selected channel may be arranged in time order, beginning with the current time. If programs in program listings 802 extend into the next day, the programs may be separated by date separation bar 804. Embedded real-time data may appear with the program name in program listings 802, as real-time weather data 807 appears next to the title "College Football Army vs. Navy" in FIG. 12. Title bar 806 contains information identifying the currently selected channel.

By category page 840 of FIG. 13 is presented when the user selects by category option 514 from program guide menu page 500 (FIG. 8) or when the user clicks on a

category view button, such as category view button 634 of by time page 600 (FIG. 9). By category page 840 contains category list 842, which may be presented in the form of category icons 844. A user can click an individual category icon 844 in category list 842 to obtain a list of program information based on the selected category. For example, the user may choose sports as a category to view a list of sports programs.

When a category is selected, the user is presented with category program list page 860, as shown in FIG. 14. In category program list page 860, program listings 862 may be arranged in time and channel order, beginning with the current time and date. Although the category program list page 860 depicted in FIG. 14 is based upon the selection of the movies category, a similarly arranged sports category program list would have been displayed had the user selected the sports category. Moreover, if the sports event was then in progress and being televised, embedded realtime data would appear with the program name in program listings 862. Program listings 862 contain the channel information for each program adjacent to the program title. If a 20 user wishes to view program information for a given channel, the user may click on one of the displayed channels. The user is then presented with a program list that is restricted to programs appearing on the selected channel.

If desired, the program list that is displayed in category 25 program list page 860 may be limited to programs appearing in the next 24 hour period. The user may view information for later days by clicking on the appropriate day in calendar buttons 866.

The foregoing is merely illustrative of the principles of $_{30}$ this invention and various modifications can be made by those skilled in the art without departing from the scope and spirit of the invention.

What is claimed is:

- 1. An Internet television program guide system for providing television program listings with embedded real-time data to a user at a multimedia system over an Internet communications link, comprising:
 - a computer system for providing television program listings with embedded real-time data, said real-time data 40 corresponding to events being televised live; and
 - a web server for receiving the television program listings with embedded real-time data from the computer system and for providing the television program listings with embedded real-time data corresponding to events 45 being televised live to the multimedia system over the Internet communications link when the user accesses the television program listings with embedded real-time data using the multimedia system.
- 2. The system defined in claim 1 wherein the computer 50 system comprises a media library containing video clips.
- 3. The system defined in claim 1 wherein the computer system comprises a data server on which at least part of the television program listings are stored.
- 4. The system defined in claim 1 wherein the computer 55 system comprises means for receiving the real-time data from a real-time data processing facility.
- 5. The system defined in claim 4 wherein the real-time data processing facility supplies real-time sports scores.
- 6. The system defined in claim 4 wherein the real-time 60 data processing facility supplies real-time weather data.
- 7. The system defined in claim 1 wherein the computer system comprises means for providing real-time data containing textual information.
- 8. The system defined in claim 1 wherein the computer 65 system comprises means for providing real-time data containing video images.

- 9. The system defined in claim 1 wherein the computer system comprises means for providing real-time data containing video clips.
- 10. The system defined in claim 1 wherein the computer system comprises means for providing real-time data containing audio clips.
- 11. The system defined in claim 1 wherein the computer system comprises means for providing real-time data containing combinations of textual information, video clips, video images, and audio clips.

12. The system defined in claim 1 further comprising means for accessing the embedded real-time data by displaying corresponding television program listings.

- 13. The system defined in claim 1 further comprising means for providing a go national option which the user selects to receive real-time data embedded within national television program listings.
- 14. The system defined in claim 1 further comprising means for providing a go satellite option which the user selects to receive real-time data embedded within satellite television program listings.
- 15. The system defined in claim 1 further comprising means for providing a go local option which the user selects to receive real-time data embedded within local television program listings.
- 16. The system defined in claim 15 further comprising means for selecting a locality for the local television program listings.
- 17. The system defined in claim 16 wherein the means for selecting a locality comprises means for accepting a zip code from which the locality is determined.
- 18. The system defined in claim 16 wherein the means for selecting a locality comprises means for selecting a local region from a map.
- 19. The system defined in claim 15 further comprising means for presenting a pick again web page when television program listings are not available for the selected locality.
 - 20. The system defined in claim 1 further comprising: means for providing a program guide option; and means for presenting a program guide menu web page when the user selects the program guide option.
- 21. The system defined in claim 1 further comprising means for providing a selectable option to arrange the television program listings by time.
- 22. The system defined in claim 1 further comprising means for providing a selectable option to arrange the television program listings by channel.
- 23. The system defined in claim 1 further comprising means for providing a selectable option to arrange the television program listings by category.
- 24. The system defined in claim 23 wherein one of the categories is sports.
- 25. The system defined in claim 1 further comprising means for searching the television program listings.
- 26. The system defined in claim 25 further comprising means for searching the television program listings by title.
- 27. The system defined in claim 25 further comprising means for searching the television program listings by category.
- 28. The system defined in claim 1 further comprising means for allowing a user to select a given one of the television program listings with embedded real-time data.
- 29. The system defined in claim 28 further comprising means for providing supplemental information on the selected television program listing with embedded real-time data.
- 30. The system defined in claim 29 wherein the supplemental information is real-time information on same display screen

31. The system defined in claim 29 wherein the supplemental information is real-time and non-real-time information on a web page.

32. The system defined in claim 1 wherein the computer system further comprises means for providing multimedia material associated with a television program selected by the user to a web server.

- 33. The system defined in claim 32 wherein the means for providing multimedia material comprises means for providing interview video segments.
- 34. The system defined in claim 1 further comprising a satellite transmission link between the computer system and the web server.
 - 35. The system defined in claim 1 wherein:

the Internet communications link comprises a telephone 15 line; and

the web server provides web pages to the multimedia system over the telephone line.

36. A method for providing television program listings with embedded real-time data to a user at a multimedia 20 system over an Internet communications link using an Internet television program guide system having a computer system and a web server, the method comprising the steps

providing television program listings with embedded realtime data with the computer system, said real-time data corresponding to events being televised live;

receiving the television program listings with embedded real-time data from the computer system with the web 30 server; and

providing the television program listings with embedded real-time data corresponding to events being televised live to the multimedia system over the Internet communications link with the web server, so that the user 35 can access the television program listings with embedded real-time data.

37. The method defined in claim 36 further comprising the step of receiving real-time data supplied by a real-time data processing facility with the web server.

38. The method defined in claim 37 further comprising the step of embedding the real-time data received from the real-time data processing facility within corresponding television program listings.

39. The method defined in claim 36 further comprising the 45 step of searching the television program listings by category. step of providing multimedia material associated with the television program listings to the web server with the computer system.

40. The method defined in claim 36 wherein the step of viding real-time data containing textual information to the web server with the computer system.

41. The method defined in claim 36 wherein the step of providing real-time data further comprises the step of providing real-time data containing video images to the web 55 server with the computer system.

42. The method defined in claim 36 wherein the step of providing real-time data further comprises the step of providing real-time data containing video clips to the web server with the computer system.

43. The method defined in claim 36 wherein the step of providing real-time data further comprises the step of providing real-time data containing audio clips to the web server with the computer system.

44. The method defined in claim 36 wherein the step of 65 providing real-time data further comprises the step of providing real-time data containing combinations of textual

information, video clips, video images, and audio clips to the web server with the computer system.

45. The method defined in claim 36 further comprising the step of providing a go national option which the user selects to receive real-time data embedded within national television program listings

46. The method defined in claim 36 further comprising the step of providing a go satellite option which the user selects to receive real-time data embedded within satellite television program listings.

47. The method defined in claim 36 further comprising the step of providing a go local option which the user selects to receive real-time data embedded within local television program listings.

48. The method defined in claim 47 further comprising the step of selecting a locality for the local television program listings.

49. The method defined in claim 48 wherein the step of selecting a locality comprises the step of accepting a zip code from which the locality is determined.

50. The method defined in claim 48 wherein the step of selecting a locality comprises the step of selecting a local region from a map.

51. The method defined in claim 48 further comprising the step of presenting a pick again web page when television program listings are not available for the selected locality.

52. The method defined in claim 36 further comprising the steps of:

providing a program guide option; and

presenting a program guide menu web page when the user selects the program guide option.

53. The method defined in claim 36 further comprising the step of providing a selectable option to arrange the television program listings by time.

54. The method defined in claim 36 further comprising the step of providing a selectable option to arrange the television program listings by channel.

55. The method defined in claim 36 further comprising the step of providing a selectable option to arrange the television program listings by category.

56. The method defined in claim 36 further comprising the step of searching the television program listings.

57. The method defined in claim 56 further comprising the step of searching the television program listings by title.

58. The method defined in claim 56 further comprising the

59. The method defined in claim 36 further comprising the step of allowing a user to select a given one of the television program listings with embedded real-time data.

60. The method defined in claim 59 further comprising the providing real-time data further comprises the step of pro- 50 step of providing supplemental information on the selected television program listing with embedded real-time data.

> 61. The method defined in claim 60 further comprising the step of providing supplemental real-time information on same display screen.

62. The method defined in claim 60 further comprising the step of providing supplemental real-time and non-real-time information on a web page.

63. The method defined in claim 36 further comprising the step of providing the television program listings to the web server with a satellite transmission link between the computer system and the web server.

64. The method defined in claim 36 wherein the Internet communications link comprises a telephone line, the method further comprising the step of providing web pages to the multimedia system over the telephone line.

UNITED STATES PATENT AND TRADEMARK OFFICE **CERTIFICATE OF CORRECTION**

PATENT NO. : 6,268,849 B1 DATED

: July 31, 2001

INVENTOR(S): Franklin E. Boyer et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page,

References Cited, OTHER PUBLICATIONS, change "Click TV" to -- ClickTV --;

Drawings,

FIG. 5, reference 326, change "ANNEAHEIM" to -- ANAHEIM --;

FIG. 7, under Current Conditions, change "HUMDIDITY" to -- HUMIDITY --;

FIG. 9, in listings (5 KTLA): change "SYLVESTOR" to -- SYLVESTER --;

FIG. 12, in listings (2:30PM): change "BASKTBALL" to -- BASKETBALL --;

FIG. 12, in listings (9:00PM): change "ENTERAINMENT" to -- ENTERTAINMENT --;

FIG. 14, in listings (1:00PM), change "BIRDCASE" to -- BIRDCAGE --.

Signed and Sealed this

Thirtieth Day of April, 2002

Attest:

JAMES E. ROGAN

Attesting Officer

Director of the United States Patent and Trademark Office